



**CHECKLIST #0155 FOR THE APPROVAL OF:
ROOF VENTILATORS, TURBINES AND RIDGE VENTS**

- ☐ Basic Requirements Checklist.
- ☐ One set of the manufacturer's 'approval document' including:
 - a) Material specifications size, thickness and dimensions of the product, and
 - b) Method of installation and attachments matching the tested conditions.
- ☐ State the type of discontinuous roof covering that may be utilized in conjunction with the product.
- ☐ One set of manufacturer's design drawings marked and verified by the testing laboratory.

The following current laboratory tests and test reports in compliance with protocol PA 301.

- ☐ Wind Driven Rain Test per PA100 (A)-95. See note #1.

Notes:

1. Testing shall be done using a test plywood deck of 15/32".
2. If vent has plastic as a component, add the plastic checklist to these requirements.
3. If vent is manufactured of metal, the thickness must comply with Chapter 34 of the South Florida Building Code.
4. If vent requires a protective cap in the event of high wind conditions, it must be described in the submittal and made part of the Notice of Acceptance.

Revised: 1/1/00

C:\Documents and Settings\jh045\My Documents\Visual Studio
Projects\VID\BCCOWEB\BCCOWEB_Local\productcont\1st3\RoofVents.doc

Internet mail address: postmaster@buildingcodeonline.com

Homepage: <http://www.buildingcodeonline.com>